# GROHE PROFESSIONAL | TEMPESTA SYSTEM 250 CUBE
SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING

Article No: **266892431**
EAN Code: **4067393016007**
Date: **Nov 12. 2026**



## PRODUCT INFORMATION


- consisting of:
- horizontal swivable 390 mm shower arm
- exposed thermostat with Aquadimmer function
- allows change between:
- head shower Tempesta 250 Cube
- spray pattern: Rain
- maximum flow rate (at 3 bar): 7.3 l/min
- head shower with black rear cover
- with ball joint, rotation angle ± 10°
- hand shower Tempesta Cube 110
- 2 spray patterns: Rain, Jet
- maximum flow rate (at 3 bar): 5.6 l/min
- adjustable in height with gliding element
- shower hose 1750 mm 1/2" x 1/2" (28 388)
- maximum flow rate system (at 3 bar): 7.3 l/min
- **GROHE TurboStat** - compact cartridge with wax thermoelement
- **GROHE SafeStop** - safety button at 38°C
- **GROHE SafeStop Plus** - optional temperature limiter at 43°C included
- **GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option
- **GROHE DreamSpray** - perfect spray pattern
- GROHE ShockProof - silicone ring protects shower head if dropped
- GROHE SpeedClean - effortless limescale removal
- **Inner WaterGuide** - inner insulation for surface protection
- **TwistStop** - to prevent hose from twisting
- suitable for instantaneous heaters from 18 kW/h
- minimum flow rate 5 l/min
- optional upgrade: **GROHE EasyReach** tray (26 362), sold separately
- **professional exclusive**

© GROHE AG

# GROHE PROFESSIONAL | TEMPESTA SYSTEM 250 CUBE
SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING


## TECHNICAL DATA

| | |
|---|---|
| Surface finish | **Matte** |
| Installation type | **Wall-mounted exposed** |
| Number of spray types | **2 sprays** |
| Number of sprays headshower | **1 spray** |
| Length of shower hose (mm) | **1750** |
| Type of (S-) unions | **With S-unions** |





## FLOW PROPERTIES

| | |
|---|---|
| Flow rate at 3bar (l) | **7.3** |
| Flow rate at 3bar (l) - handshower | **5.6** |
| Flow rate at 3bar (l) - headshower | **7.3** |



# GROHE PROFESSIONAL | TEMPESTA SYSTEM 250 CUBE
SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING

## SPARE PARTS




| | |
|---|---|
| **1** | Metal handle 1/2" (order no. 479842430) |
| **1.1** | Cover cap (order no. 64585243M) |
| **2** | Fitting ring (order no. 47743000) |
| **3** | Thermostatic compact cartridge 1/2" (order no. 47439000) |
| **4** | Buffer (order no. 47398000) |
| **5** | Water flow (order no. 47751000) |
| **6** | Aquadimmer (order no. 12433000) |
| **6.1** | Sealing washer (order no. 0305600M) |
| **7** | Non-return valve (order no. 471892430) |
| **7.1** | Dirt strainer (order no. 0726400M) |
| **7.2** | Non-return valve (order no. 08565000) |
| **7.3** | O-ring ø 17 x ø 2 (order no. 0305500M) |
| **8** | S-union (order no. 126622430) |
| **9** | Non-return valve (order no. 08565000) |
| **10** | Glide element (order no. 486092430) |
| **11** | Dirt strainer (order no. 0700200M) |
| **12** | Fibre seal Ø 18,5 x Ø 12 × 2 (order no. 0138900M) |
| **13** | Dirt strainer (order no. 48007000) |
| **14** | Shower rail holder (order no. 48423000) |
| **15** | Socket spanner (order no. 19332000) |
| **16** | GROHE TurboStat cartridge 1/2" (order no. 47175000) |
| **17** | Special spanner (order no. 19377000) |
| **20** | Compensation disc (order no. 26496000) |